

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20060184508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L2	2290	meta\$1data near2 structure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L3	231	(meta\$1data near2 structure)and (application with (data adj structure))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L4	67	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L5	15	(meta\$1data near2 structure)and (application near2 (data adj structure)) and @ad < "20010701"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L6	11921	media adj content	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L7	121	(media adj content) with classif\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L8	0	((media adj content) with classif\$6) with appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L9	0	((media adj content) with classif\$6) same appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09

L10	14	((media adj content) with classif\$6) and appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L11	5	((media adj content) with classif\$6) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L12	5	((media adj content) with classif\$6) and character\$4 and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L13	1	((media adj content) with classif\$6) and characters and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L14	1	((media adj content) with classif\$6) and ((text adj string) or characters) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L15	3	((media adj content) with classif\$6) and (text or characters) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L16	6756	(context adj sensitive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L17	23241156	(context adj sensitive) and (user or client) and server and database @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L18	870	(context adj sensitive) and (user or client) and server and database and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L19	489	(context adj sensitive) and query and (user or client) and server and database and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09

L20	290	(context adj sensitive) and query and (user or client) and (server with database) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L21	163	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L22	67	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L23	0	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and (((extract\$4 or retriev\$4) with result) with (corresponding or relevant or pertinent) with (user near2 profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L24	0	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with (corresponding or relevant or pertinent) with (user near2 profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09

L25	6	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with (corresponding or relevant or pertinent) with user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L26	19	(context adj sensitive) and query and (network and radio and PDA) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L27	0	(context adj sensitive) and (periodic near2 query) and (network and radio and PDA) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L28	4	(context adj sensitive) and query and (network and radio and PDA) and @ad < "20010501" and (server with database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L29	8	707/10.ccls. and (context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L30	3	707/3.ccls. and (context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L31	2	"20060184508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09

L32	231	(meta\$1data near2 structure)and (application with (data adj structure))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L33	2290	meta\$1data near2 structure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L34	15	(meta\$1data near2 structure)and (application near2 (data adj structure)) and @ad < "20010701"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L35	67	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L36	11921	media adj content	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L37	121	(media adj content) with classif\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L38	0	((media adj content) with classif\$6) with appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L39	0	((media adj content) with classif\$6) same appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L40	14	((media adj content) with classif\$6) and appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L41	5	((media adj content) with classif\$6) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09

L42	5	((media adj content) with classif\$6) and character\$4 and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L43	1	((media adj content) with classif\$6) and characters and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L44	3	((media adj content) with classif\$6) and (text or characters) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L45	1	((media adj content) with classif\$6) and ((text adj string) or characters) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L46	23241156	(context adj sensitive) and (user or client) and server and database @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L47	870	(context adj sensitive) and (user or client) and server and database and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L48	489	(context adj sensitive) and query and (user or client) and server and database and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L49	290	(context adj sensitive) and query and (user or client) and (server with database) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L50	67	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09

L51	6756	(context adj sensitive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L52	163	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L53	0	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and (((extract\$4 or retriev\$4) with result) with (corresponding or relevant or pertinent) with (user near2 profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L54	0	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with (corresponding or relevant or pertinent) with (user near2 profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L55	6	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with (corresponding or relevant or pertinent) with user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L56	19	(context adj sensitive) and query and (network and radio and PDA) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09

L57	0	(context adj sensitive) and (periodic near2 query) and (network and radio and PDA) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L58	4	(context adj sensitive) and query and (network and radio and PDA) and @ad < "20010501" and (server with database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L59	8	707/10.ccls. and (context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L60	3	707/3.ccls. and (context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L61	2	"20070005555"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L62	52	(context adj sensitive) and (user or client) and server and database and @ad < "20010501" and (identi\$6 with physical with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L63	0	(context adj sensitive) and (user or client) and server and database and @ad < "20010501" and (identi\$6 with physical with location with user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09

L64	0	(context adj sensitive) and query and (network and radio and PDA) and @ad < "20010501" and (identi\$6 with physical with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L65	33	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701" and (identi\$6 with physical with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L66	0	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701" and (identi\$6 with physical with location with (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L67	33	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701" and (identi\$6 with (physical near2 location))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L68	6	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701" and (identi\$6 near2 (physical near2 location))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L69	32	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701" and (identi\$6 with location with (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L70	139	@ad < "20010701" and (identi\$6 with (physical near2 location) with (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09

L71	600	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L72	0	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and (meta\$1data near2 structure)and (application with (data adj structure))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L73	0	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and (context adj sensitive) and (application with (data adj structure))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L74	0	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and (context with sensitive) and (application with (data adj structure))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L75	22	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and (context with sensitive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L76	0	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and ((context with sensitive) with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09

L77	3	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and ((context with sensitive) with (information or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L78	3	@ad < "20010701" and ((track\$4 or locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and ((context with sensitive) with (information or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L79	601	@ad < "20010701" and ((track\$4 or locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L80	557	@ad < "20010701" and ((track\$4 or locat\$3 or find\$3 or identi\$6) near2 (physical adj location) near2 (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L81	106	@ad < "20010701" and ((track\$4 or locat\$3 or find\$3 or identi\$6) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L82	73	@ad < "20010701" and ((track\$4 or locat\$3 or find\$3 or identi\$6) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database) and context	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09

L83	4	@ad < "20010701" and ((track\$4 or locat\$3 or find\$3 or identi\$6) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database) and (context with sensitive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L84	26	@ad < "20010701" and ((track\$4 or monitor\$3 or find\$3 or identi\$6) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L85	0	@ad < "20010701" and ((track\$4 or monitor \$3) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L86	2	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L87	106	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4 or find\$3 or locat\$4) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L88	4	("7243356" or "6317718").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L89	2	("7243356" or "6317718").pn.	USPAT	OR	OFF	2008/04/27 21:09

L90	1	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4 or find\$3 or locat\$4) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database) and (SQL with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L91	0	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4 or find\$3 or locat\$4) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database) and (query with statement with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L92	0	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4 or find\$3 or locat\$4) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database) and (statement with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L93	47	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4 or find\$3 or locat\$4) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database) and (query with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L94	0	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4 or find\$3 or locat\$4) near2 ((physical adj location) with (building or facility or factory)) near2 (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09

L95	3	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4 or find\$3 or locat\$4) with ((physical adj location) with (building or facility or factory)) near2 (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L96	12	@ad < "20010701" and ((determin\$4 or obtain \$4 or identif\$4) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
L97	1	"20020091568"	US-PGPUB	OR	OFF	2008/04/27 21:09
L98	9847	707/3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:25
L99	8198	707/10.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:25
L100	28	707/10.ccls. and L49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:26
L101	8	707/10.ccls. and L50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:26
L102	13	707/10.ccls. and L52	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:26
L103	8	707/3.ccls. and L52	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:26
L104	3	707/3.ccls. and L50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:26

L105	21	707/3.ccls. and L49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:27
S1	2	"20060184508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 12:48
S2	1753	meta\$1data near2 structure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 12:49
S3	192	(meta\$1data near2 structure)and (application with (data adj structure))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 12:50
S4	66	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 12:51
S5	15	(meta\$1data near2 structure)and (application near2 (data adj structure)) and @ad < "20010701"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 15:12
S6	7828	media adj content	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 15:42
S7	77	(media adj content) with classif\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 15:42
S8	0	((media adj content) with classif\$6) with appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 15:43
S9	0	((media adj content) with classif\$6) same appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 15:43

S10	7	((media adj content) with classif\$6) and appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 15:43
S11	4	((media adj content) with classif\$6) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 15:45
S12	4	((media adj content) with classif\$6) and character\$4 and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 15:45
S13	0	((media adj content) with classif\$6) and characters and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 15:45
S14	0	((media adj content) with classif\$6) and ((text adj string) or characters) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 15:46
S15	2	((media adj content) with classif\$6) and (text or characters) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 16:03
S16	5521	(context adj sensitive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 16:05
S17	20829720	(context adj sensitive) and (user or client) and server and database @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 16:06
S18	818	(context adj sensitive) and (user or client) and server and database and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 16:06
S19	461	(context adj sensitive) and query and (user or client) and server and database and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 16:07

S20	272	(context adj sensitive) and query and (user or client) and (server with database) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 16:08
S21	155	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 16:10
S22	62	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:22
S23	0	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and (((extract\$4 or retriev\$4) with result) with (corresponding or relevant or pertinent) with (user near2 profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 16:13
S24	0	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with (corresponding or relevant or pertinent) with (user near2 profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 16:13

S25	5	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with (corresponding or relevant or pertinent) with user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:19
S26	18	(context adj sensitive) and query and (network and radio and PDA) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:21
S27	0	(context adj sensitive) and (periodic near2 query) and (network and radio and PDA) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:20
S28	3	(context adj sensitive) and query and (network and radio and PDA) and @ad < "20010501" and (server with database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:21
S29	8	707/10.ccls. and (context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:23
S30	3	707/3.ccls. and (context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:23
S31	2	"20060184508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53

S32	211	(meta\$1data near2 structure)and (application with (data adj structure))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S33	1983	meta\$1data near2 structure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S34	15	(meta\$1data near2 structure)and (application near2 (data adj structure)) and @ad < "20010701"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S35	66	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:21
S36	9600	media adj content	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S37	93	(media adj content) with classif\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S38	0	((media adj content) with classif\$6) with appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S39	0	((media adj content) with classif\$6) same appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S40	10	((media adj content) with classif\$6) and appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S41	4	((media adj content) with classif\$6) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53

S42	4	((media adj content) with classif\$6) and character\$4 and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S43	0	((media adj content) with classif\$6) and characters and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S44	2	((media adj content) with classif\$6) and (text or characters) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S45	0	((media adj content) with classif\$6) and ((text adj string) or characters) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S46	20846188	(context adj sensitive) and (user or client) and server and database @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S47	846	(context adj sensitive) and (user or client) and server and database and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:19
S48	475	(context adj sensitive) and query and (user or client) and server and database and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S49	280	(context adj sensitive) and query and (user or client) and (server with database) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S50	66	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53

S51	6129	(context adj sensitive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S52	161	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S53	0	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and (((extract\$4 or retriev\$4) with result) with (corresponding or relevant or pertinent) with (user near2 profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S54	0	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with (corresponding or relevant or pertinent) with (user near2 profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S55	6	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with (corresponding or relevant or pertinent) with user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S56	18	(context adj sensitive) and query and (network and radio and PDA) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:21

S57	0	(context adj sensitive) and (periodic near2 query) and (network and radio and PDA) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S58	3	(context adj sensitive) and query and (network and radio and PDA) and @ad < "20010501" and (server with database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 13:47
S59	8	707/10.ccls. and (context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S60	3	707/3.ccls. and (context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S61	2	"20070005555"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 13:47
S62	51	(context adj sensitive) and (user or client) and server and database and @ad < "20010501" and (identi\$6 with physical with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:20
S63	0	(context adj sensitive) and (user or client) and server and database and @ad < "20010501" and (identi\$6 with physical with location with user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:20

S64	0	(context adj sensitive) and query and (network and radio and PDA) and @ad < "20010501" and (identi\$6 with physical with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:21
S65	32	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701" and (identi\$6 with physical with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:22
S66	0	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701" and (identi\$6 with physical with location with (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:25
S67	32	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701" and (identi\$6 with (physical near2 location))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:23
S68	6	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701" and (identi\$6 near2 (physical near2 location))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:23
S69	31	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701" and (identi\$6 with location with (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:32
S70	142	@ad < "20010701" and (identi\$6 with (physical near2 location) with (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:34

S71	597	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:35
S72	0	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and (meta\$1data near2 structure)and (application with (data adj structure))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:35
S73	0	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and (context adj sensitive) and (application with (data adj structure))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:36
S74	0	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and (context with sensitive) and (application with (data adj structure))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:37
S75	21	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and (context with sensitive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:37
S76	0	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and ((context with sensitive) with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:38

S77	3	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and ((context with sensitive) with (information or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:40
S78	3	@ad < "20010701" and ((track\$4 or locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and ((context with sensitive) with (information or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:40
S79	598	@ad < "20010701" and ((track\$4 or locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:41
S80	556	@ad < "20010701" and ((track\$4 or locat\$3 or find\$3 or identi\$6) near2 (physical adj location) near2 (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:42
S81	103	@ad < "20010701" and ((track\$4 or locat\$3 or find\$3 or identi\$6) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:56
S82	70	@ad < "20010701" and ((track\$4 or locat\$3 or find\$3 or identi\$6) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database) and context	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:46

S83	3	@ad < "20010701" and ((track\$4 or locat\$3 or find\$3 or identi\$6) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database) and (context with sensitive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:48
S84	26	@ad < "20010701" and ((track\$4 or monitor\$3 or find\$3 or identi\$6) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:57
S85	0	@ad < "20010701" and ((track\$4 or monitor \$3) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:57
S86	2	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:59
S87	103	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4 or find\$3 or locat\$4) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/08 10:08
S88	4	("7243356" or "6317718").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 16:30
S89	2	("7243356" or "6317718").pn.	USPAT	OR	OFF	2007/09/07 16:30

S90	1	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4 or find\$3 or locat\$4) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database) and (SQL with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 16:42
S91	0	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4 or find\$3 or locat\$4) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database) and (query with statement with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 16:43
S92	0	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4 or find\$3 or locat\$4) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database) and (statement with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 16:43
S93	45	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4 or find\$3 or locat\$4) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database) and (query with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/08 09:38
S94	0	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4 or find\$3 or locat\$4) near2 ((physical adj location) with (building or facility or factory)) near2 (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/08 09:40

S95	3	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4 or find\$3 or locat\$4) with ((physical adj location) with (building or facility or factory)) near2 (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/08 09:40
S96	12	@ad < "20010701" and ((determin\$4 or obtain \$4 or identif\$4) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/08 10:47
S97	1	"20020091568"	US-PGPUB	OR	OFF	2007/09/08 10:47

4/ 27/ 2008 9:27:38 PM

C:\Documents and Settings\klu\My Documents\EAST\Workspaces\09681574.wsp